

Machine Studies

Schedule for Run1-10,2001

March 20, 0800 - 1600

Time	Descriptions	Studiers	SRStatus
Tuesday, 03/20/01			
0800-1000	Access zone-A for CPU installation preparation, control access, switch gear LOTO	Trakhtenberg	No beam
0800-1000	Access zone-D for BPM work, control access, switch gear LOTO	Erwin Lill	No beam
0800-0900	investigate rebooting problem	Dimonte	No beam
0800-1000	Bring RF power from L3 into RF gun test area	Lewellen	No beam
0800-1000	Inspect filter capacitors of booster QF and QD	Puttkammer	No beam
0800-0900	access booster tunnel to inspect corrector magnets, authorized access, switch gear LOTO	Hillman ASD-ME	No beam
0800-1000	Test new SR corrector database in one double sector (40&1), reboot vp ioc several time, may trip supplies.	Macleam	No beam
0800-1000	Fix readback glitches on S38/39	Fors	No beam
0900-1100	Operator re-qualification	Yao Flood	Injection at 1000
1000-1200	Continue studies on RTFB/orbit correction overlap	Schwartz Emery	Stored beam and injection
1200-1430	BPM test with new installed filter and comparator	Decker Singh Lill	Stored beam and injection

Time	Descriptions	Studiars	SRStatus
1430-1530	Dynamic aperture for high current single bunch beam	Harkay	Stored beam and injection
1530-1600	Ready for top up user beam	OPS	Stored beam and injection